

Technical Data Sheet

PLUS  PACK

Signature:

Date:

Article No.:

Article name:

Material Data

Material:



(Ref. our materialguide on <http://www.pluspack.com>)

(The aluminium foil contains a food approved lubricate, the amount is depending on the shape and complexity of the container.)

Color:

Inside coating:

Outside coating:

Temperatures:

Other Features:

Foil thickness (gauge): (gauge tolerance according to DIN/EN 546-3)

Product drawing and dimensions



Shape:	<input type="text" value="RECTANGULAR"/>
Total Capacity:	<input type="text" value="ml 1096"/>
Net Weight:	<input type="text" value="(kg/1000) 21,1"/>
EAN-code bag:	<input type="text" value="5410555074633"/>
EAN-code carton:	<input type="text" value="5410555065365"/>
EAN-code pallet:	<input type="text" value="5410555074671"/>

Packing

Pieces per bag:	<input type="text" value="100"/>
Pieces per carton:	<input type="text" value="400"/>
Cartons per pallet:	<input type="text" value="28"/>
Pieces per pallet:	<input type="text" value="11200"/>
Grossweight per carton:	<input type="text" value="kg 9,1"/>
Carton size outside: (lwh)	<input type="text" value="mm 600 400 290"/>
Height incl. pallet:	<input type="text" value="cm 221"/>
Weight per pallet:	<input type="text" value="kg 254,1"/>
Cartons per layer:	<input type="text" value="4"/>
Layers per pallet:	<input type="text" value="7"/>
Perforation:	<input type="text"/>

Special Remarks:

	length/mm	width/mm
top out:	<input type="text" value="265"/>	<input type="text" value="162"/>
top in:	<input type="text" value="247"/>	<input type="text" value="144"/>
base:	<input type="text" value="237"/>	<input type="text" value="134"/>
depth:	<input type="text" value="37"/>	

Subject to change without prior notice.

QUALITY IN ALL ASPECTS