

Signature:


 Date:
Article No.:
Article name:

Material Data

Material:

(Ref. our materialguide on <http://www.pluspack.com>)
(The aluminium foil contains a food approved lubricate, the amount is depending on the shape and complexity of the container.)
Color:
Inside coating:
Outside coating:
Temperatures:
Other Features:
Foil thickness (gauge): *(gauge tolerance according to DIN/EN 546-3)*

Product drawing and dimensions



Shape:	<input type="text" value="RECTANGULAR"/>
Total Capacity:	<input type="text" value="ml 2250"/>
Net Weight:	<input type="text" value="(kg/1000) 31,6"/>
EAN-code bag:	<input type="text"/>
EAN-code carton:	<input type="text" value="5410555066102"/>
EAN-code pallet:	<input type="text"/>

Packing

Pieces per bag:	<input type="text" value="200"/>
Pieces per carton:	<input type="text" value="200"/>
Cartons per pallet:	<input type="text" value="24"/>
Pieces per pallet:	<input type="text" value="4800"/>
Grossweight per carton:	<input type="text" value="kg 7,2"/>
Carton size outside: (lwh)	<input type="text" value="mm 390 390 504"/>
Height incl. pallet:	<input type="text" value="cm 0"/>
Weight per pallet:	<input type="text" value="kg 173,0"/>
Cartons per layer:	<input type="text" value="6"/>
Layers per pallet:	<input type="text" value="4"/>
Perforation:	<input type="text"/>

Special Remarks:

	length/mm	width/mm
top out:	<input type="text" value="314"/>	<input type="text" value="212"/>
top in:	<input type="text" value="292"/>	<input type="text" value="190"/>
base:	<input type="text" value="278"/>	<input type="text" value="176"/>
depth:	<input type="text" value="43"/>	

Subject to change without prior notice.

Signature:


 Date:
Article No.:
Article name:

Material Data

Material:

(Ref. our materialguide on <http://www.pluspack.com>)
(The aluminium foil contains a food approved lubricate, the amount is depending on the shape and complexity of the container.)
Color:
Inside coating:
Outside coating:
Temperatures:
Other Features:
Foil thickness (gauge): *(gauge tolerance according to DIN/EN 546-3)*

Product drawing and dimensions



Shape:	<input type="text" value="RECTANGULAR"/>
Total Capacity:	<input type="text" value="ml 2250"/>
Net Weight:	<input type="text" value="(kg/1000) 31,6"/>
EAN-code bag:	<input type="text"/>
EAN-code carton:	<input type="text" value="5410555066102"/>
EAN-code pallet:	<input type="text"/>

Packing

Pieces per bag:	<input type="text" value="200"/>
Pieces per carton:	<input type="text" value="200"/>
Cartons per pallet:	<input type="text" value="24"/>
Pieces per pallet:	<input type="text" value="4800"/>
Grossweight per carton:	<input type="text" value="kg 7,2"/>
Carton size outside: (lwh)	<input type="text" value="mm 390 390 504"/>
Height incl. pallet:	<input type="text" value="cm 0"/>
Weight per pallet:	<input type="text" value="kg 173,0"/>
Cartons per layer:	<input type="text" value="6"/>
Layers per pallet:	<input type="text" value="4"/>
Perforation:	<input type="text"/>

Special Remarks:

	length/mm	width/mm
top out:	<input type="text" value="314"/>	<input type="text" value="212"/>
top in:	<input type="text" value="292"/>	<input type="text" value="190"/>
base:	<input type="text" value="278"/>	<input type="text" value="176"/>
depth:	<input type="text" value="43"/>	

Subject to change without prior notice.